



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Arrival at Baltimore of vessels from West Indian ports.

BALTIMORE, MD., April 20, 1901.

SIR: I have to report the arrivals for the week ended to-day as follows:
 April 16, Norwegian steamship *Spero*, from Banas, Cuba, with fruit;
 April 18, Norwegian steamship *Hero*, from Daiquiri, Cuba, with ore;
 April 19, British steamship *Burton*, from Santiago de Cuba, with ore.

Respectfully,

WM. F. STONE,
Collector.*Reports from the Mexican border.*

El Paso, Tex., April 13, 1901—Inspection service.—I have the honor to submit herewith summary of work at this station for the week ended April 13, 1901: Inspection Mexican Central Railroad passengers, 205; inspection Rio Grande and Pacific Railroad passengers, 35; inspection immigrants, 62; disinfection baggage, clothing, blankets, etc., 43 pieces; disinfection soiled linen imported for laundry, 414 pieces; disinfection soiled Pullman linen, 3,055 pieces; vaccination of immigrants and children, 15.

E. ALEXANDER,
Acting Assistant Surgeon, U. S. M. H. S.

Laredo, Tex.—April 15, 1901—Inspection service.—I have the honor to submit the following report for week ended April 13, 1901: Number of passenger trains from Mexico inspected, 14; persons on trains from Mexico inspected and passed, 408; immigrants inspected and passed, 39; immigrants vaccinated, 7; linen of Pullman Company's sleeping cars entering from Mexico disinfected, 4,487 pieces.

H. J. HAMILTON,
Acting Assistant Surgeon, U. S. M. H. S.*Statistical reports of States and cities of the United States—Yearly and monthly.*

CALIFORNIA—*Stockton.*—Month of March, 1900. Census population, 17,506. Total number of deaths, 19, including 3 from tuberculosis.

COLORADO—*Denver.*—Month of December, 1900. Census population, 133,859. Total number of deaths, 236, including enteric fever, 9; scarlet fever, 4, and 63 from tuberculosis.

Month of January, 1901. Total number of deaths, 311, including diphtheria, 4; enteric fever, 1; measles, 1; scarlet fever, 11, and 79 from tuberculosis.

CONNECTICUT.—Reports to the State board of health for the month of March, 1901, from 168 towns, having an aggregate census population of 908,355, show a total of 1,441 deaths, including diphtheria, 29; enteric fever, 4; measles, 7; scarlet fever, 9; whooping cough, 8, and 134 from phthisis pulmonalis.

CONNECTICUT—*Hartford.*—Month of March, 1901. Estimated population, 79,950. Total number of deaths, 109, including diphtheria, 5, and 13 from phthisis pulmonalis.

ILLINOIS—*Chicago.*—Month of February, 1901. Census population, 1,698,575. Total number of deaths, 1,933, including diphtheria, 44;

enteric fever, 16; measles, 5; scarlet fever, 11; whooping cough, 21, and 258 from tuberculosis.

Springfield.—Month of March, 1901. Estimated population, 35,000. Total number of deaths, 64, including enteric fever, 1; measles, 1; whooping cough, 1, and 13 from phthisis pulmonalis.

INDIANA.—The report of the State board of health for the month of March, 1901, shows: Total number of deaths 3,272, rate, 15.3; corresponding month of 1900, deaths 3,217, rate 15.0. Deaths from important ages: Under 1 year, 566; 1 to 5 inclusive, 230; 65 years and over, 847. Deaths from important causes and rates per annum per 100,000 were: Pulmonary tuberculosis 373, rate 174.9; typhoid fever 44, rate 20.6; diphtheria 29, rate 13.5; scarlet fever 24, rate 11.2; measles 43, rate 20.1; whooping cough 26, rate 12.1; pneumonia 603, rate 282.7; diarrheal diseases 15, rate 9.0; cerebro-spinal meningitis 39, rate 18.2; influenza 174, rate 81.5, cancer 81, rate 37.9; violence 114, rate 53.4.

Deaths from smallpox 5. Urban deaths 1,164, rate 16.2; rural deaths 2,108, rate 14.9.

IOWA—*Davenport*.—Month of March, 1901. Census population, 35,254. Total number of deaths, 44, including diphtheria, 1; enteric fever, 1; measles, 1; la grippe, 2, and 5 from phthisis pulmonalis.

LOUISIANA.—*New Orleans*.—Month of March, 1901. Estimated population, 300,000—white, 210,000; colored, 90,000. Total number of deaths, 540; white, 327; colored, 213, including diphtheria, 2; enteric fever, 8; scarlet fever, 10; smallpox, 11, and 91 from tuberculosis.

MASSACHUSETTS—*Lawrence*.—Month of March, 1901. Census population, 62,559. Total number of deaths, 103, including diphtheria, 1; enteric fever, 1; measles, 1, and 8 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended April 13, 1901, from 67 observers, indicate that pneumonia was more prevalent and inflammation of kidney, measles, and whooping cough were less prevalent than in the preceding week. Cerebro-spinal meningitis was reported present at 5, whooping cough at 10, measles at 21, diphtheria at 23, enteric fever at 36, scarlet fever at 78, phthisis pulmonalis at 190, and smallpox at 104 places.

NEBRASKA—*Omaha*.—Month of January, 1901. Census population, 102,555. Total number of deaths, 89, including diphtheria, 3; enteric fever, 6; scarlet fever, 1; whooping cough, 1; la grippe, 4, and 5 from tuberculosis.

Month of February, 1901. Total number of deaths, 96, including diphtheria, 1; enteric fever, 1, and 9 from tuberculosis.

NEW HAMPSHIRE—*Manchester*.—Month of March, 1901. Estimated population, 59,987. Total number of deaths, 92, including enteric fever, 1; scarlet fever, 2, and 10 from tuberculosis.

NEW YORK—*Buffalo*.—Month of March, 1901. Census population, 352,387. Total number of deaths, 428, including diphtheria, 5; enteric fever, 5; measles, 1; scarlet fever, 3, and 49 from tuberculosis.

Troy.—Month of March, 1901. Estimated population, 75,000. Total number of deaths, 145, including diphtheria, 3; enteric fever, 2; measles, 3; whooping cough, 1, and 25 from tuberculosis.

NORTH CAROLINA.—Reports to the State board of health for the month of February, 1901, from 45 towns having an aggregate estimated population of 129,084—white, 78,881; colored, 49,203—show a total of 228 deaths; white, 119; colored, 109, including measles, 5, and 31 from phthisis pulmonalis.

OHIO—Zanesville.—Month of March, 1901. Census population, 23,500. Total number of deaths, 41, including whooping cough, 1, and 2 from tuberculosis.

OREGON—Portland.—Month of March, 1901. Census population, 90,426. Total number of deaths, 131, including diphtheria, 2; enteric fever, 4; measles, 1; la grippe, 9, and 18 from tuberculosis.

TENNESSEE—Nashville.—Month of March, 1901. Census population, 80,865—white (estimated), 50,627; colored (estimated), 30,238. Total number of deaths, 141—white, 72; colored, 69—including whooping cough, 1, and 19 from tuberculosis.

UTAH—Ogden.—Month of March, 1901. Census population, 16,313. Total number of deaths, 14. No deaths from contagious diseases.

WASHINGTON—Seattle.—Month of March, 1901. Estimated population, 90,000. Total number of deaths, 74, including diphtheria, 1; measles, 1; whooping cough, 1, and 13 from tuberculosis.

Tacoma.—Month of March, 1901. Estimated population, 50,000. Total number of deaths, 39, including enteric fever, 1; beriberi, 1, and 2 from phthisis pulmonalis.